

Table of contents

Before you begin	1	Messenger	38
Minimum requirements	1	Sending instant messages	38
Parts checklist	3	Accept an incoming VoIP call	41
Installation	4	VoIP calling.	43
Telephone base installation	4	Telephone operation	48
Handset charger installation	6	Making calls on the Home line.	48
Install handset battery	7	Receiving calls on the Home line	48
Install MSN Messenger/AOL Instant Messenger software	8	Ending calls on the Home line	49
Install IS6110 phone software	12		
Install Adobe Reader.	20		
Setting up the IS6110 phone software.	22		
Check and download the IS6110 phone software	24		
IS6110 software settings.	26		
To setup/change the messenger account.	27		
To change the name of the profile tab	27		
Settings for running the IS6110 software	28		
The About tab	29		
Log onto the IS6110 phone software	30		
To login on the computer	30		
To login using the handset	33		
Running the IS6110 phone software.	35		

Before you begin

Minimum requirements

Confirm your system meets the following minimum requirements:

- MSN Messenger/Windows Live Messenger (English version) or AOL Instant Messenger.
- Windows 2000, XP (32-bit edition) or Vista (32-bit edition); English version only.
- 200 MB of free disk space.
- 256 MB of RAM.
- USB 1.1 or 2.0.
- Broadband Internet access (cable/DSL).

Before you begin

Minimum requirements

IMPORTANT:

- In order to access instant messaging with the IS6110, you must either have an account with MSN Messenger/Windows Live Messenger or AOL Instant Messenger. If you don't already have a MSN Messenger/Windows Live Messenger or AOL Instant Messenger account, you may sign up for a free MSN Messenger/Windows Live Messenger account at <http://www.hotmail.com> or for a free AOL Instant Messenger account at <http://www.aim.com>.
- You must either install the MSN Messenger/Windows Live Messenger or AOL Instant Messenger software before installing the IS6110 phone software.

Before you begin

Parts checklist

Your telephone package contains the following items. Save your sales receipt and original packaging in case your phone requires warranty service.



1. Quick start guide



2. CD-ROM (VTech IS6110 software for MSN Messenger/Windows Live Messenger/AOL Instant Messenger software)



3. Telephone base



4. USB cable



5. Telephone base power adapter



6. Telephone line cord



7. Belt clip



8. Audio cable



9. Battery



10. Handset



11. Handset charger with power adapter attached

note

- To purchase a new battery, visit our website at www.vtechphones.com or call VTech Communications, Inc. at 1 (800) 595-9511 in the United States. In Canada, go to www.vtechcanada.com or dial 1 (800) 267-7377.
- The complete user manual can be found at www.vtechphones.com.

note

- The power adapter is intended to be correctly oriented in a vertical or floor mount position.
- Install the plug end of the DSL filter into the wall jack. Then, connect the telephone line cord between the filter and the telephone base.

Installation



Telephone base installation


To install the telephone base:

Step 1: Install telephone line

Plug one end of the telephone line cord into the telephone line jack on the back of the telephone base. Then plug the other end of the cord into a telephone outlet. If you have DSL, you must install a DSL filter between the IS6110 telephone base and the wall jack. Contact your DSL provider for more information on DSL filters.

Step 2: Install USB cable

Using the USB cable provided, connect one end into the port labelled , located on the back of the telephone base. Connect the other end into an available USB port  on your computer.



Installation


Telephone base installation

Step 3: Turn power on

Plug the telephone base power adapter into the power port located on the back of the IS6110 telephone base and the other end into an electrical outlet not controlled by a wall switch. This turns the telephone base on. Do NOT interrupt the installation process by unplugging the power adapter or by using the handset until the **POWER** indicator light on the front of telephone base is lit steadily.

Step 4: Check diagnostic lights

The **POWER** light should be lit indicating the power is on.



note

- Use only the power adapter provided in this package; using any other power adapter could damage the telephone.



note

- Use only the AC power adapter supplied with this telephone.
- This power adapter is intended to be correctly oriented in a vertical or floor mount position.

Installation

Handset charger installation

The charger comes with the power adapter already plugged in. Route the cord through the slots and plug the other end into the electrical outlet as shown below. Make sure the electrical outlet is not controlled by a wall switch.



Bottom view of handset charger

Installation


Install handset battery

Step 1: Press the tab and slide the battery compartment cover downward.

Step 2: Align the two holes of the battery plug with the socket pins in the handset battery compartment, matching the red and black wires of the color-coded label. Place the battery in the compartment with the wires in the bottom left corner.

Step 3: Position the battery compartment cover and slide it up until it clicks into place.

For optimal performance, we recommend that you place the handset in the charger and allow the battery to charge for 16 hours before use.



www.vtechphones.com

note

- To purchase replacement batteries, visit us on the web at www.vtechphones.com or call VTech Communications, Inc. at 1 (800) 595-9511. In Canada, go to www.vtechcanada.com or dial 1 (800) 267-7377.

note

- Press the **EXIT** button to exit the installation.
- For more information about the **Browse the CD for additional ringers** button, refer to the user's manual which can be found at www.vtechphones.com.

Installation

Install MSN Messenger/AOL Instant Messenger software

Before installing IS6110 phone software and using MSN Messenger/AOL Instant Messenger on the handset, MSN Messenger/AOL Instant Messenger software must be installed in your computer first.

To install the MSN Messenger/AOL Instant Messenger software:

Step 1: Insert the enclosed VTech IS6110 software CD-ROM into your computer. The CD-ROM will run automatically and screen a below will be displayed. Click the **Install the IS6110 Phone Software** button and screen b below will be displayed.

a:



b:



Installation

Install MSN Messenger/AOL Instant Messenger software

- Step 2:
- If you want to install MSN Messenger, click **MSN Messenger** button. The software will check your computer to see what operating system you are using. If you are using Windows 2000, screen a below will be displayed. If you are using Windows XP or Vista, screen b below will be displayed.
 - If you want to install AOL Instant Messenger, click the **AOL Instant Messenger** button and go to **Step 3**.

a: MSN Messenger for Windows 2000

b: Windows Live Messenger for Windows XP/Vista



- Click the **BACK** button anytime to return to the previous screen.

Installation

Install MSN Messenger/AOL Instant Messenger software

- Click the **Download MSN Messenger** button or **Download Windows Live Messenger** button to start the installation on screen a or b respectively. Follow the instructions for downloading. After the installation is complete, click the **NEXT** button. Go to **Step 4** for the installation of the IS6110 phone software.

Installation

Install MSN Messenger/AOL Instant Messenger software

- Step 3: • The following screen will be displayed after you click the **AOL Instant Messenger** button to install the AOL Instant Messenger software.



- Click the **Download AOL Instant Messenger** button to start the installation. Follow the instructions for downloading. After the installation is complete, click the **NEXT** button. Go to **Step 4** for installation of the IS6110 phone software.

Installation

Install IS6110 phone software

Step 4: • After the installation of MSN Messenger or AOL Instant Messenger software is complete, you will be prompted to install the IS6110 phone software. The following screen will be displayed. Click the **Install IS6110 Phone Software** button to start the installation.




Installation

Install IS6110 phone software

Step 5: A VTech IS6110 setup window will be displayed. If you are using MSN Messenger/Windows Live Messenger, screen a below will be displayed. If you are using AOL Instant Messenger, screen b below will be displayed. Click the **Next** button to proceed.

a:



b:



note

- Click the **Cancel** button to cancel installation.

note


- Click the **Cancel** button to cancel installation. Click the **Back** button to go back to the previous step.
- If you have already installed Microsoft .Net Framework 2.0, only the **Application files** will be displayed.

Installation


Install IS6110 phone software

Step 6: If you are using MSN Messenger/Windows Live Messenger, screen a below will be displayed. If you are using AOL Instant Messenger, screen b below will be displayed. Click the **Next** button to proceed.

a:



b:




Installation


Install IS6110 phone software

Step 7: If you are using MSN Messenger/Windows Live Messenger, screen a below will be displayed. If you are using AOL Instant Messenger, screen b below will be displayed. Click the **Install** button to proceed.

a:



b:



note


- Click the **Cancel** button to cancel installation. Click the **Back** button to go back to the previous step.

Installation

Install IS6110 phone software

Step 8: The **Microsoft .NET Framework 2.0 Setup** window will be displayed.


Make sure the box beside **I accept the terms of the License Agreement** is checked. Click the **Install** button and the installation will begin.



Installation

Install IS6110 phone software

Step 9: After the installation of Microsoft .NET Framework 2.0 is complete, the following window will be displayed. Click the **Finish** button and it will return to the installation of VTech IS6110 software.



Installation

Install IS6110 phone software

Step 10: After the installation of IS6110 phone software is complete, one of the below screens will be displayed. If you are using MSN Messenger/ Windows Live Messenger, screen a below will be displayed. If you are using AOL Instant Messenger, screen b below will be displayed.

If you want to start the IS6110 phone software immediately, make sure the box beside **Run VTech IS6110 Software for MSN** (a) or **Run VTech IS6110 Software for AIM** (b) is checked and click the **Finish** button. If you prefer to start the IS6110 phone software later, un-check the box by clicking inside it and click the **Finish** button.

a:




b:



Installation


Install IS6110 phone software

After the installation is complete, you will find a IS6110 phone software shortcut icon  on your PC desktop. You can start the IS6110 phone software anytime by clicking on the icon and the software will be launched automatically.

Installation

Install Adobe Reader

Step 11: After the installation of the IS6110 phone software, the following screen is still displayed. Click the **NEXT** button to proceed to the installation of Adobe Reader. Adobe Reader is required for reading the online user's manual.



Installation

Install Adobe Reader

- Step 12:
- The complete user manual can be found online in PDF format. If you do not have Adobe Reader or another PDF reader software installed on your computer, we recommend that you install Adobe Reader at this time. Click the **Install Adobe Reader** button to start the installation. Follow the instructions for downloading. After the installation is complete, click the **EXIT** button to exit the installation.
 - If you have already installed Adobe Reader or another PDF viewer, click the **EXIT** button to exit the installation.




note


- Click the **BACK** button anytime to return to the previous screen.
- The complete user manual can be found at www.vtechphones.com.

Installation


Setting up the IS6110 phone software

The IS6110 phone software must be started before using the messenger service on your handset. Double click on the IS6110 phone software application icon  on your PC desktop; the software will run automatically. If you are using MSN Messenger/Windows Live Messenger, screen a below will be displayed. If you are using AOL Instant Messenger, screen b below will be displayed. There are three tabs including **Status**, **Profile Settings** and **About**.

a:



b:



*While using MSN, it will display **MSN**.

Installation

Setting up the IS6110 phone software

In the rest of this guide we will refer to the messenger services as follows:

- MSN Messenger as **MSN**.
- Windows Live Messenger as **WLM**.
- AOL Instant Messenger as **AIM**.

Installation


Check and download the IS6110 phone software

The IS6110 phone software will automatically check for updates every time it is launched and if there is an update available, the following screen will be displayed. If you don't want to check for updates every time it launches, make sure the box next to **Do not check for updates** is checked. If you do not want to download the update now, click the **No** button. You may check for updates later by clicking on **Check Update** on the **About** tab (see page 29).

To install the update of the IS6110 phone software:

Step 1: Click the **Yes** button. It will start to download the update of the software.


Step 2: To save the update on your computer and install the software later, click the **Save** button and follow the steps to save the files in a specific location.



Installation

Check and download the IS6110 phone software

Step 3: To open the update, click **Open** and a warning message will be displayed to remind you to close the IS6110 phone software before updating the software. Close the IS6110 phone software and click the **Retry** button. Go to **Step 5 of Install IS6110 phone software** on page 13 to proceed.



note

- Click the **Cancel** button to exit the installation.

Installation


IS6110 software settings

Changes to the **Profile Settings** tab can only be made when the IS6110 software is not running (i.e. On the **Status** tab, the first box must say **STOP**).


In order to use the instant messaging and Internet voice features with your phone, you must first create a profile by entering your MSN/WLM/AIM email address and password on the **Profile Settings** tab.

You can create up to three profiles for different IM accounts. If you are using MSN/WLM, screen a below will be displayed. If you are using AIM, screen b below will be displayed.

a:



b:



Installation

IS6110 software settings

To setup/change the messenger account:

Step 1: Choose a specific profile by clicking on the tab.

Step 2: Enter your email address for your messenger account in the box next to **MSN Email Address** (a) or **AIM Screen Name** (b) (see page 26).

Step 3: Enter your password in the box next to **Password**.

Step 4: If you do not want to re-enter your email address and password every time you start the IS6110 phone software, make sure the boxes next to **Save email address** (a) / **Save screen name** (b) and **Save password** are checked (see page 26).

Step 5: Click the **Apply** button to save, or click the **Cancel** button to cancel the change.

To change the name of the profile tab:

Step 1: Choose a specific profile by clicking on the tab.

Step 2: In the box next to **Profile Name**, type the name for the new profile.



note

- The IS6110 software settings can only be setup or changed on your computer.

Installation

IS6110 software settings

Settings for running the IS6110 software


- If you want to run the IS6110 phone software automatically every time Windows starts, make sure the field **Run IS6110 software when Windows starts** is checked.
- If you want to log into your messenger account automatically every time the IS6110 software starts, make sure the box next to **Login automatically when IS6110 software starts** is checked.
- If you want to show an icon in the system tray for easy access and the status of the IS6110 software, make sure the box next to **Show icon in system tray when IS6110 software is running** is checked.

Installation

The About tab

In the **About** tab of the IS6110 phone software, the version of the software will be displayed. Clicking on **Check Update** will check for updates to the IS6110 software, see pages 24-25 for details. In the **Product Help** section, you can find the Internet links to the User's manual and Quick start guide. You can also find the VTech website address in the **VTech Communications** section. If you are using MSN/WLM, screen a below will be displayed. If you are using AIM, screen b below will be displayed.

a:



b:



Installation


Log onto the IS6110 phone software

You can log into the IS6110 phone software from your handset or computer.


To login on the computer:

Step 1: In the **Status** tab of the IS6110 phone software, choose the profile you wish to log onto by clicking on the arrow of the **Profile** field. This will open a pull down box. Click on the profile you wish to use and click the **START** button. If you are using MSN/WLM, screen a below will be displayed. If you are using AIM, screen b below will be displayed.

a:



b:



*While using MSN, it will display **MSN**.


Installation

Log onto the IS6110 phone software


To login on the computer:

Step 2: If login is not successful because the login ID and/or password is incorrect, the following screen will be displayed. If you are using MSN/WLM, screen a below will be displayed. If you are using AIM, screen b below will be displayed.

a:



b:




*While using MSN, it will display MSN.

Installation

Log onto the IS6110 phone software

To login on the computer:

- If either the login name or password is missing, the following error box will be displayed. Check with the **Profile Settings** tab for the missing item.



Installation

Log onto the IS6110 phone software

If you try to log in to the messenger through the handset before the IS6110 phone software is launched on the computer, the screen of the handset will display **IS6110 software is not launched**.

To login using the handset:

When logging in from the handset you will automatically be logged into the profile that is chosen in the IS6110 phone software on the computer. If you wish to change the profile, you must change it on the computer.

Step 1: Press the **MSNGR** softkey from the idle screen.

-OR-

Press the **MENU** softkey. Press the , ,  and/or  NavKeys to choose **Messenger**, then press the **SELECT** softkey or the center NavKey/**SELECT**/.

Step 2: The screen will display **Login in progress. Please wait**.

Step 3: If login is successful, the buddy status window will be displayed.

Step 4: If login is not successful, an error message will be displayed on the screen. Check with the **Profile Settings** tab of the IS6110 phone software for the incorrect or missing item(s).

note

- If the IS6110 software is opened but not logged in, you can log in and out from the handset or computer. If the IS6110 software is not opened and the handset displays **IS6110 software is not launched**, the software must be opened on the PC first.

Installation

Log onto the IS6110 phone software

To login using the handset:


Error messages	Explanation
Login error	Indicates that the login name is incorrect.
Password error	Indicates that the login password is wrong.
Missing password or login name	Indicates that there is a missing name or password.

Installation


Running the IS6110 phone software

In order to use the MSN/WLM/AIM on the handset, all the status icons must be **Ready** as shown in the screen below. If you are using MSN/WLM, screen a below will be displayed. If you are using AIM, screen b below will be displayed.


a:



b:



*While using MSN, it will display **MSN**.

After you are logged in, you can minimize the IS6110 software to the system tray. Double click on the  icon in the system tray to view the VTECH IS6110 software.

note

- The **IM/VoIP** light on the telephone base will be on when there is a good connection to the computer and you are logged into messenger.

Installation

Running the IS6110 phone software

You cannot be logged into the messenger service on the computer and the IS6110 at the same time.

- If you are logged into the messenger service on your computer and you click **START** on the status tab of the IS6110 software, you will be automatically logged out of the messenger service on the computer and logged into the messenger service on your IS6110.
- If you are logged into the messenger service on your IS6110 and you try to open MSN/WLM/AIM on your computer, the message on the next page will be displayed. You will need to click **STOP** on the status tab of the IS6110 software to logout before you can login at the computer.

Installation


Running the IS6110 phone software

If you are using MSN/WLN, screen a below will be displayed. If you are using AIM, screen b below will be displayed.

a:



b:



note

- The following features are NOT supported by your IS6110 phone for MSN/WLM/AIM:
 - Add/modify/remove buddies.
 - Add/modify/remove groups.
 - New buddy invitation.
 - Receive or send offline messages.
 - Block buddy.
 - Receive and send emoticons.

note

- When there is an incoming or outgoing instant message from or to a buddy, the name of the buddy will be added in the **ACTIVE CHAT WINDOW** on the buddy list.

Messenger

Sending instant messages



Step 1: Press the **MENU** softkey from the idle screen.


Step 2: Press the , ,  and/or  NavKeys to choose **Messenger**, then press the **SELECT** softkey or the center NavKey/**SELECT**/.

-OR-

Press the **MSNGR** softkey to access the messenger directly while in the idle screen.

Step 3: Press the left or right NavKey  or  to choose either **ONLINE** or **ACTIVE CHAT WINDOW**.




Step 4: Press the up or down NavKey  or  to choose the desired buddy, and press the **CHAT** softkey. A chat window of the selected buddy will be displayed. There is an input box at the bottom of the chat window.






Messenger


Sending instant messages

Step 5: Use the dial pad to enter the message in the input box.

Press **ALT** to change to numeric input mode, or press **CAP** to alternate between uppercase and lowercase. Press the left or right NavKey  or  to move the cursor to the desired place and press **DEL**  to delete text. See the user's manual for more information on text entry.

Step 6: After entering the message, press  to send it, and the sent message will be shown in the chat window.

Press the up or down NavKey  or  to review the chat history.





note




- The name of the buddy you are talking to will be shown on the title bar.

Messenger

Sending instant messages

Step 7: To return to the buddy list without ending your chat, press the **BUDDIES** softkey. To return to an active chat window, press the up or down Navkey  or  to highlight the desired buddy, and press the **CHAT** softkey.

-OR-

To end your chat session and return to the buddy list, press the **OPTIONS** softkey, and press the up or down NavKey  or  to choose **Close**. Press the **SELECT** softkey or the center NavKey/**SELECT**/.


*You cannot send messages to buddies that are **OFFLINE**.

Messenger

Accept an incoming VoIP call

While in the idle screen and there is an incoming VoIP call, the handset will ring and the screen will display the name of the caller.

- Press the **ACCEPT** softkey or **SPEAKER** to accept the call.
- Press the **MUTE** softkey or **OFF** to mute the ringer.
- While in the **ACTIVE CHAT WINDOW**, an audio alert will sound and the name of the caller will be displayed. Press the up or down NavKey or to highlight the desired buddy with the icon. Press the **ACCEPT** softkey to accept the call, or press the **DECLINE** softkey to refuse the call.




note

- After you accept an incoming VoIP call, it may take a few seconds for the call to connect so that you can hear the caller.

Messenger

Accept an incoming VoIP call

- While in the chat window, a VoIP call message will be displayed (e.g. Incoming call) when there is an incoming VoIP call from the same buddy. Press the **ACCEPT** softkey to accept the call and **>Call answered** will be displayed in the chat window. Press the **DECLINE** softkey to decline the call and **>Call declined** will be displayed in the chat window.
- The incoming VoIP call will continue to ring until you answer or the person who is calling you cancels the call. If you do not answer the incoming VoIP call and the buddy cancels the call, the system will send a new message to notify you that the VoIP call has been cancelled and an **IM** icon will be shown in front of the buddy's name on the screen.



Messenger





VoIP calling


Step 1: Press the **MENU** softkey from the idle screen.

Step 2: Press the , ,  and/or  NavKeys to choose **Messenger**, then press the **SELECT** softkey or the center NavKey/**SELECT**/.

-OR-

Press the **MSNGR** softkey to access the messenger directly while in the idle screen.

Step 3: The buddy status window will be displayed on the screen. Press the left or right NavKey  or  to choose between different tabs. Press the up or down NavKey  or  to choose the desired buddy.



note




- Only the buddies in the **ACTIVE/PENDING CHAT WINDOW** or **ONLINE** section can receive VoIP requests.
- Allow for a few seconds from the time your buddy accepts the call for your conversation to begin.

note




- During a VoIP conversation, you can send or receive messages only with the buddy you are having a VoIP call.
- It takes longer for a VoIP call to be answered than a regular Home call. Please allow at least 4-10 rings for the buddy you are calling to answer.

Messenger



VoIP calling

Step 4: Press the **CHAT** softkey. A chat window of the selected buddy will be displayed. Press the **OPTIONS** softkey and press the up or down NavKey  or  to choose **VoIP**. Press the **SELECT** softkey or the center NavKey/**SELECT**/.

-OR-





Press the **OPTIONS** softkey and press the up or down NavKey  or  to choose **VoIP**. Press the **SELECT** softkey or the center NavKey/**SELECT**/.


Step 5: The chat window will display **> Calling** (name of the buddy). At this time, you are still able to send out or receive messages. If you want to cancel the VoIP request, press the **CANCEL** softkey and **> Call canceled** will be displayed in the chat window.




Messenger

VoIP calling

Step 6: The chat window will display **> Call accepted** when the buddy accepts your VoIP request. The speakerphone is used by default and  is shown in the center of the softkey bar. Press /**SPEAKER** to alternate between the speakerphone and handset mode. If a headset is plugged into the telephone, it will change to headset mode automatically and the  icon will be displayed in the center of the softkey bar. A VoIP request icon  will also be shown next to the name of the buddy.

Step 7: To mute the microphone during a conversation, press the **MUTE** softkey and the mute icon  will be shown in the center of the softkey bar. Press the **UNMUTE** softkey to resume normal conversation.






note

- To end a VoIP call, press the **CANCEL** softkey to return to the chat screen, or press **OFF** to return to the idle screen.

Messenger

VoIP calling

Step 8: To end the VoIP conversation, press the **OPTIONS** softkey. Press the up or down NavKey  or  to choose **HANG UP**, and press the **SELECT** softkey or the center NavKey/**SELECT**/. The chat window will display **Call ended** when either you or your buddy end the call.

Step 9: Press the **BUDDIES** softkey to return to the buddy list.

Messenger

VoIP calling

The following features are NOT supported by our IS6110 phone for MSN/WLM/AIM:

- Add/modify/remove buddies
- Add/modify/remove groups
- New buddy invitation
- Receive or send offline messages
- Block buddy
- Receive or send Emoticons

Telephone operation

Making calls on the Home line

- To make a regular telephone call, press **TALK/FLASH** or **▶▶▶/SPEAKER**, wait for the dial tone and then dial the number.

-OR-



- To predial (preview numbers before dialing), enter the number first, then press **TALK/FLASH** or **▶▶▶/SPEAKER**.

While you are on a call, the screen displays the elapsed time of the call (in hours, minutes and seconds) and the telephone number dialed.

Receiving calls on the Home line

- When the telephone is ringing, press **TALK/FLASH** or the **ANSWER** softkey to answer the call. Press **▶▶▶/SPEAKER** if you want to answer using the speakerphone.

After you answer the call, the screen displays the elapsed time of the call. If the incoming telephone number matches one of the entries in the directory, the information from the entry will be shown on the screen.



Telephone operation

Ending calls on the Home line

While on a call, press **OFF** to end the call. After a call ends, the screen will show **Ended** and the length of the call in hours, minutes and seconds.

For the complete IS6110 user's manual, please go to www.vtechphones.com.

VTECH TELECOMMUNICATIONS LTD.

A member of THE VTECH GROUP OF COMPANIES.

Distributed in the U.S.A. by VTech Communications, Inc., Beaverton, Oregon

Distributed in Canada by VTech Technologies Canada, Ltd., Richmond, B.C.

Copyright ©2008 for VTECH TELECOMMUNICATIONS LTD.

Printed in China.

91-00xxxx-010-100

vtech[®]

Designed to fit your home. And your life.SM

vtech®

Designed to fit your home. And your life.™



Quick start guide

www.vtechphones.com

Model: IS6110