



Classic Analog Corded Phone

1-Line A1210
2-Line A1220



Contemporary Analog Corded Phone

1-Line A2210
2-Line A2220

One and two line analog corded phones with your choice of design. Classic styling maintains a traditional look and feel, while contemporary styling offers a refreshing, elegant look.

Features

- 1 or 2 lines with line indication
- Standard 12-digit keypad
- Up to 10 programmable guest service keys
- Up to 4 feature keys - Flash, Hold, Mute and Conference
- Visual Message Waiting Indicator
- Ergonomic handset design
- Selectable ring tones
- Enhanced speakerphone
- Multi-step volume control (ringer, handset and speakerphone)
- Fully customizable faceplates with large printable area
- Supports desktop or wall mount
- Textured finish resists smudges
- Non-volatile EEPROM memory, requires no battery
- Antibacterial surface
- 5 year limited warranty

Specifications

Power Source: Line-powered
Flash: Programmable timing (100/300/600ms)
Humidity: 65% ± 20%
Temperature: 25° C ± 10° C
Colors: Classic - Ash or Black
Contemporary - Pearl or Black
Master Pack: 12 carton

Certifications:

- ADA Compliant
- FCC Part 15 Class B
- FCC Part 68
- IC
- CE
- ETL
- RoHS Compliant

Cords:

- Coil cord
- 10 foot standard telephone cord with RJ11 connectors

Weight: 2.2 lbs.
Classic Dimensions: 8.6 in. x 6.0 in. x 2.6 in.
Contemporary Dimensions: 7.9 in. x 6.0 in. x 3.8 in.

VHP 20110810



Classic Analog Cordless Phone

1-Line A1410
2-Line A1420



Contemporary Analog Cordless Phone

1-Line A2410
2-Line A2420

The analog cordless phone offers excellent performance with 1 or 2 line functionality and the freedom to roam with proven DECT technology.

Features

- 1 or 2 lines with line indication
- WiFi friendly DECT technology with adjustable coverage area to improve clarity
- Auto registration of cordless handset
- Supports multiple handsets (up to 4)
- Standard 12-digit keypad
- Up to 10 programmable guest service keys
- Up to 5 feature keys - Flash, Hold, Mute, Redial and Conference
- Automatic expired redial memory for guest privacy
- Visual Message Waiting Indicator
- Ergonomic handset design
- Selectable ring tones
- Enhanced handset speakerphone
- Multi-step volume control (ringer, handset and speakerphone)
- Fully customizable faceplates with large printable area
- Supports desktop or wall mount
- Textured finish resists smudges
- Antibacterial surface
- Low battery indicator on handset
- On-cradle charging indicator
- Concealed antenna prevents breakage
- Battery life of up to 7 hours talk time with 7 days standby
- 5 year limited warranty

Specifications

Radio Frequency baseband: Available in both DECT 1.8 and DECT 6.0
 Life Line
 Power Source: 6VDC Inline External Power
 Flash: Programmable timing (100/300/600ms)
 Humidity: 65% ± 20%
 Temperature: 25° C ± 10° C
 Colors: Classic - Ash or Black
 Contemporary - Pearl or Black
 Master Pack: 12 Carton
Certifications:
 - ADA Compliant
 - FCC Part 15 Class B
 - FCC Part 68
 - IC
 - CE
 - ETL
 - RoHS Compliant
 - Energy Star
Cords:
 - 10 foot standard telephone cord with RJ11 connectors
 - 10 foot 8p8c telephone cord for power and voice
 Weight: 2.2 lbs.
 Classic Dimensions: 8.6 in. x 6.0 in. x 2.6 in.
 Contemporary Dimensions: 7.9 in. x 6.0 in. x 3.8 in.

VHP 20110810



Classic Analog Corded Lobby Phone

1-Line A1100



Contemporary Analog Corded Lobby Phone

1-Line A2100

One line analog lobby phones with your choice of design. Classic styling maintains a traditional look and feel, while contemporary styling offers a refreshing, elegant look.

Features

- 1 line
- Ergonomic handset design
- Fully customizable faceplates with large printable area
- Supports desktop or wall mount
- Textured finish resists smudges
- Antibacterial surface
- 5 year limited warranty
- Supports PBX "ring down" feature to dial a designated number when the guest picks up the handset. Requires PBX configuration.

Specifications

Power Source: Line-powered

Humidity: 65% ± 20%

Temperature: 25° C ± 10° C

Colors: Classic - Ash or Black

Contemporary - Pearl or Black

Master Pack: 12 carton

Certifications:

- ADA Compliant
- FCC Part 15 Class B
- FCC Part 68
- IC
- CE
- ETL
- RoHS Compliant

Cords:

- 6 foot standard coil cord
- 10 foot standard telephone cord with RJ11 connectors

Weight: 2.2 lbs.

Classic Dimensions: 8.6 in. x 6.0 in. x 2.6 in.

Contemporary Dimensions:

7.9 in. x 6.0 in. x 3.8 in.

VHP 20110810



Contemporary Corded TrimStyle Phone

1-Line A2310

The analog TrimStyle phone shows a sleek and elegant design that offers functionality for both a courtesy or washroom telephone.

Key Features

- Antibacterial surface inhibits the growth and migration of bacteria, mold and fungus
- Backlit keypad
- Fully customizable faceplate on phone base

Additional Features

- 1 line
- Supports Mute and Flash
- Ringer and listening volume control
- Line powered
- Desk and wall mountable
- 5 year limited warranty

Specifications

Power Source: Line-powered

Humidity: 65% ± 20%

Temperature: 25° C ± 10° C

Colors: Silver Black, Silver Pearl or Matte Black

Master Pack: 12 per pack

Certifications:

- ADA Compliant
- FCC Part 15 Class B
- FCC Part 68
- IC
- CE
- ETL
- RoHS Compliant

Cords:

- 4 foot telephone coil cord
- 3 inch standard telephone cord with RJ11 connectors

Product Weight: 1.1 lbs.

Product Dimensions: 2.8 in. x 8.4 in. x 2.1 in.

Master Carton Weight: 18.7 lbs.

Master Carton Dimensions:

19.7 in. x 14 in. x 9.4 in.

VHP 20110810



Classic Analog Corded TrimStyle Phone

1-Line A1310

The analog TrimStyle phone shows a sleek and elegant design that offers classical functionality for both a courtesy or washroom telephone.

Features

- 1 line
- Standard 12-digit keypad
- Visual Message Waiting Indicator
- Ergonomic handset design
- Selectable ring tones
- Multi-step volume control
- Wall mount design
- Textured finish resists smudges
- Antibacterial surface
- 5 year limited warranty

Specifications

Power Source: Line-powered

Humidity: 65% ± 20%

Temperature: 25° C ± 10° C

Colors: Pearl, Ash or Black

Master Pack: 12 Carton

Certifications:

- ADA Compliant
- FCC Part 15 Class B
- FCC Part 68
- IC
- CE
- ETL
- RoHS Compliant

Cords:

- 4 foot telephone coil cord
- 3 inch standard telephone cord with RJ11 connectors

Weight: 1.1 lbs.

Dimensions: 8.5 in. x 3.1 in. x 3.2 in.

VHP 20110810

Accessories



Classic Cordless Handset with Charging Base

Handset	Charging Base
1-Line C3100	C3000 6VDC
2-Line C3200	C3300 PoE



Contemporary Cordless Handset with Charging Base

Handset	Charging Base	Standup Charging Base
1-Line C4100	C4000 6VDC	C4010 6VDC
2-Line C4200	C4300 PoE	C4310 PoE

The DECT enabled handset with charging base adds to the home-like feel of any guest room or suite.

Features

- 1 or 2 lines with line indication
- WiFi friendly DECT technology with adjustable coverage area to improve clarity
- Standard 12-digit backlit keypad
- Up to 5 feature buttons - Flash, Hold, Mute, Redial and Conference
- Visual Message Waiting Indicator
- Ergonomic handset design
- Enhanced handset speakerphone
- Multi-step volume control (ringer, handset and speakerphone)
- Supports desktop, wall mount or standup
- Textured finish resists smudges
- 6VDC external power supply or PoE
- Antibacterial surface
- Low battery indicator on handset
- On-cradle charging indicator
- Concealed antenna prevents breakage
- Battery life of up to 7 hours talk time with 7 days standby
- 5 year limited warranty

Specifications

Radio Frequency baseband: Available in both DECT 1.8 and DECT 6.0

Power Source: IEEE803.3af PoE or 6VDC Inline External Power

Humidity: 65% ± 20%

Temperature: 25° C ± 10° C

Colors: Classic - Ash or Black
Contemporary - Pearl or Black

Master Pack: 12 Carton

Certifications:

- ADA Compliant
- FCC Part 15 Class B
- FCC Part 68
- IC
- CE
- ETL
- RoHS Compliant

Cord:

- 10 foot 8p8c telephone cord for power and voice

Weight: 0.6 lbs.

Classic Dimensions: 8.8 in. x 2.8 in. x 1.5 in.

Contemporary Dimensions: 8.0 in. x 2.8 in. x 3.7 in.

VHP 20110810



Classic SIP Corded Phone

1-Line S1210
2-Line S1220



Contemporary SIP Corded Phone

1-Line S2210
2-Line S2220

Following with tradition, the SIP compatible hotel phones offer refreshing styling.

Features

- 1 or 2 lines with line indication
- Standard 12-digit keypad
- Up to 10 programmable guest service keys
- Up to 5 feature buttons - Flash, Hold, Mute, Redial and Conference
- Automatic expired redial memory for guest privacy
- Visual Message Waiting Indicator
- Ergonomic handset design
- Selectable ring tones
- Enhanced speakerphone
- Multi-step volume control (ringer, handset and speakerphone)
- Fully customizable faceplates with large printable area
- Supports desktop or wall mount
- Textured finish resists smudges
- Standard IEEE802.3af Power over Ethernet
- Antibacterial surface
- USB charging port
- 2 year limited warranty

Specifications

Network Features:

- 10/100Mbps switched-port for HSIA
- Supports 802.1pQ priority and VLAN tagging
- Support IEEE802.1x (MD5, TLS and PEAP)
- HTTP
- DHCP
- DNS (A-Record and SRV Record)
- NAPSTR
- SNTP
- SIP (RFC3261 Compliance)
- Supports both in-band (RFC2833) and out-of-band DTMF signaling
- Supports G.711u, G.711a and G.729
- Supports wideband codec
- User friendly web portal for phone configuration and firmware upgrade
- Optional centralized administrative server to assist deployment, monitoring and administration

Power Source: IEEE802.3af PoE Class 2

Humidity: 65% ± 20%

Temperature: 25° C ± 10° C

Colors: Classic - Ash or Black
Contemporary - Pearl or Black

Master Pack: 12 Carton

Certifications:

- ADA Compliant
- FCC Part 15 Class B
- FCC Part 68
- IC
- CE
- ETL
- RoHS Compliant

Cords:

- Coil cord
- 10 foot Cat5e Ethernet Cord

Weight: 2.2 lbs.

Classic Dimensions: 8.6 in. x 6.0 in. x 2.6 in.

Contemporary Dimensions: 7.9 in. x 6.0 in. x 3.8 in.



Classic SIP Cordless Phone

1-Line S1410
2-Line S1420



Contemporary SIP Cordless Phone

1-Line S2410
2-Line S2420

The DECT cordless handset with speakerphone integrated into the SIP compatible hotel phone offers 2-line operation with more freedom and comfort than ever before.

Features

- 1 or 2 lines with line indication
- WiFi friendly DECT technology with adjustable coverage area to improve clarity
- Auto registration of cordless handset
- Supports multiple handsets (up to 4)
- Standard 12-digit keypad
- Up to 10 programmable guest service keys
- Up to 5 feature keys - Flash, Hold, Mute, Redial and Conference
- Automatic expired redial memory for guest privacy
- Visual Message Waiting Indicator
- Ergonomic handset design
- Selectable ring tones
- Enhanced handset speakerphone
- Multi-step volume control (ringer, handset and speakerphone)
- Fully customizable faceplates with large printable area
- Supports desktop or wall mount
- Textured finish resists smudges
- Standard IEEE802.3af Power over Ethernet
- Antibacterial surface
- Low battery indicator on handset
- On-cradle charging indicator
- Concealed antenna prevents breakage
- USB charging port
- Battery life of up to 7 hours talk time with 7 days standby
- 2 year limited warranty

Specifications

Network Features:

- 10/100Mbps switched port for HSIA
- Support IEEE802.1pQ priority and VLAN tagging
- Support IEEE802.1x (MD5, TLS and PEAP)
- HTTP
- DHCP
- DNS (A-Record and SRV Record)
- NAPSTR
- SNTP
- SIP (RFC3261 Compliance)
- Supports both in-band (RFC2833) and out-of-band DTMF signaling
- Supports G.711u, G.711a and G.729
- Supports wideband codec
- User friendly web portal for phone configuration and firmware upgrade
- Optional centralized administrative server to assist deployment, monitoring and administration

- Radio Frequency baseband: Available in both DECT 1.8 and DECT 6.0

Power Source: IEEE802.3af PoE Class 2

Humidity: 65% ± 20%

Temperature: 25° C ± 10° C

Colors: Classic - Ash or Black

Contemporary - Pearl or Black

Master Pack: 12 Carton

Certifications:

- ADA Compliant
- FCC Part 15 Class B
- FCC Part 68
- IC
- CE
- ETL
- RoHS Compliant

Cord:

- 10 foot Cat5e Ethernet Cord

Weight: 2.2 lbs.

Classic Dimensions: 8.6 in. x 6.0 in. x 2.6 in.

Contemporary Dimensions:
7.9 in. x 6.0 in. x 3.8 in.

VHP 20110810



Classic SIP Corded Lobby Phone

1-Line S1100



Contemporary SIP Corded Lobby Phone

1-Line S2100

One line SIP lobby phones with your choice of design. Classic styling maintains a traditional look and feel, while contemporary styling offers a refreshing, elegant look.

Features

- 1 line
- Ergonomic handset design
- Fully customizable faceplates with large printable area
- Standard IEEE802.3af Power over Ethernet
- Supports desktop or wall mount
- Textured finish resists smudges
- Antibacterial surface
- 2 year limited warranty

Specifications

Network Features:

- 10/100Mbps switched port for HSIA
- Support IEEE802.1pQ priority and VLAN tagging
- Support IEEE802.1x (MD5, TLS and PEAP)
- HTTP
- DHCP
- DNS (A-Record and SRV Record)
- NAPSTR
- SNTP
- SIP (RFC3261 Compliance)
- Supports both in-band (RFC2833) and out-of-band DTMF signaling
- Supports G.711u, G.711a and G.729
- Supports wideband codec
- User friendly web portal for phone configuration and firmware upgrade
- Optional centralized administrative server to assist deployment, monitoring and administration

Power Source: IEEE802.3af PoE Class 2

Humidity: 65% ± 20%

Temperature: 25° C ± 10° C

Colors: Classic - Ash or Black

Contemporary - Pearl or Black

Master Pack: 12 carton

Certifications:

- ADA Compliant
- FCC Part 15 Class B
- FCC Part 68
- IC
- CE
- ETL
- RoHS Compliant

Cords:

- 6 foot standard coil cord
- 10 foot Cat5e Ethernet Cord

Weight: 2.2 lbs.

Classic Dimensions: 8.6 in. x 6.0 in. x 2.6 in.

Contemporary Dimensions:
7.9 in. x 6.0 in. x 3.8 in.

VHP 20110810



Classic SIP Cordless TrimStyle Phone with Tethered Handset

1-Line S1310
2-Line S1320



Contemporary SIP Cordless TrimStyle Phone with Tethered Handset

1-Line S2310
2-Line S2320

The SIP compatible TrimStyle phone continues to offer an elegant design for both a courtesy or washroom telephone while maintaining comfort and functionality.

Features

- 1 or 2 lines with line indication
- Visual Message Waiting Indicator
- Standard 12-digit keypad
- Handset volume control
- WiFi friendly DECT technology with adjustable coverage area to improve clarity
- Supports desktop or wall mount
- Antibacterial surface
- Textured finish reduces smudges
- Requires pairing with cordless room phone (cannot operate independently)
- 2 Year Warranty

Specifications

Power Source: IEEE 802.3af PoE

Humidity: 65% ± 20%

Temperature: 25° C ± 10° C

Colors: Classic - Ash or Black

Contemporary - Pearl or Black

Master Pack: 12 Carton

Certifications:

- FCC Part 68, FCC Part 15

- IC

- UL 60950

- CE

- ADA Compliant

- RoHS Compliant

Cords:

- 4 foot coil cord

- 10 foot CAT 5 Ethernet Cord

Weight: 1.1 lbs.

Dimensions:

8.5 in. x 3.1 in. x 3.2 in.

VHP 20110810